

These screens of information are waited for at block 205 by the NC terminal 204. The screen of information is then placed into a presentation space of operation box 206 and it is recognized using a screen recognition procedure at block 207. The particular screen recognition algorithm used is not critical to the present invention but may be of the type described in the '961 patent.

Replace the paragraph on page 8 from line 23 through line 26 with the following clean version:

On the other hand, if the list of screen IDs previously downloaded at block 203 does not contain the ID granted, then a default GUI screen is presented at box 211. The default screen may be of any type desired by the user.

Replace the paragraph on page 9 from line 4 through line 10 with the following clean version:

If there is a request for special services as per query 213 which may be resident only at server 103, then blocks 214 and 215 implement the functions of obtaining the special services and presenting them to the user. If there is no request for special services, then the keyboard input is simply processed in accordance with the application, and the algorithm returns to block 205 to await downloading of the next set of information from host 102.

The previous amended paragraphs are presented in edited form with additions underlined and in bold type.

Page 8, lines 6 – 14:

Once the communications connection is established, screens of information, depending upon the particular application being run, will be downloaded from host 102 to NC terminal 104. These screens of information are waited for at block 205 by the NC terminal 204. The screen of information is then placed into a presentation space **at operation box 206** and it is recognized using a screen recognition procedure at block 207. The particular screen recognition algorithm used is not critical to the present invention but may be of the type described in the '961 patent.

Page 8, lines 23 – 26:

On the other hand, if the list of screen IDs previously downloaded at block 203 does not contain the ID generated, then a default GUI screen is presented **at box 211**. The default screen may be of any type desired by the user.

Page 9, lines 4 – 10:

If there is a request for special services **as per query 213** which may be resident only at server 103, then blocks 214 and 215 implement the functions of obtaining the special services and presenting them to the user. If there is no request for special services, then the keyboard input is simply processed in accordance with the application, and the algorithm returns to block 205 to await downloading of the next set of information from host 102.